



Page 1/3 - stand of 04/2020

The new generation of the IPROXX handset. The IPROXX 2 combines the sturdiness and versatility of the IPROXX handset with a slim, elegant design.

- Colour: light grey RAL 7035
- Keys: max. 11
- Suitable for max. 4 drives incl. reset function, standardised keyboard, smooth, easy-to-clean surface
- Equipment options: integrated mechanical or programmable multi-stage locking function



Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern

IPROXX 2

Page 2/3 - stand of 04/2020



Standard configurations

Performance data

relay control
combined power-on / charge level indicator
light grey RAL 7035
max. IPX6
30% - 75%
+10°C - +40°C
max. 11, standardised keyboard
yes
single-fault protected
available with or without
suitable for max. 4 drives incl. reset function, smooth, easy-to-clean surface

Extra configurations


Further data	
Customer-specific printing	customised membrane design on request
Equipment options	integrated mechanical or programmable multi-stage locking function


Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.






Page 3/3 - stand of 04/2020







Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.