




Specification

* Port thread G. NPT. are also available.


Model	No. of port	Bore size	Medium	Operation pressure range	Ambient temperature	Weight
EPA-100 / 100A	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^\circ\!$ C (No freezing)	43 g / 68 g
EPA-101 / 101A	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	70 g / 68 g
EPA-102	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^\circ\!\mathbb{C}$ (No freezing)	104 g
EPA-103	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	67 g
EPA-104	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	71 g
EPA-105	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	68 g
EPA-105L	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	104 g
EPA-106	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	61 g
EPA-107	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	54 g
EPA-108*	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	100 g
EPA-109	3	Rc1/8	Air	0~0.9 MPa	-5 ~ $+60^{\circ}$ C (No freezing)	108 g

EPA series MECHANICAL VALVE





*w*indman



*w*indman